

AMENDMENTS TO THE CLAIMS

1. (Currently amended) A method comprising:
 - presenting a plurality of windows on an output device;
 - selecting a subset of the plurality of windows; and
 - sending the subset to an auxiliary output device, wherein the auxiliary output device is separate from the output device.
2. (Original) The method of claim 1, wherein the auxiliary output device comprises a projector.
3. (Original) The method of claim 1, wherein the selecting further comprises:
 - selecting the subset based on group affiliations of the plurality of windows.
4. (Original) The method of claim 1, wherein the selecting further comprises:
 - selecting the subset based on a list of allowed applications.
5. (Original) The method of claim 1, wherein the selecting further comprises:
 - selecting the subset based on a list of disallowed applications.
6. (Original) The method of claim 1, wherein the selecting further comprises:
 - detecting that an application has launched; and
 - determining whether the application belongs to a group.
7. (Original) The method of claim 1, wherein the selecting further comprises:
 - detecting that an application has been brought into focus; and
 - determining whether the application belongs to a group.
8. (Original) The method of claim 1, further comprising:

S/N 10/691,290
ROC920030290US1

changing the subset that is sent to the auxiliary output device.

9. (Currently amended) An apparatus comprising:

- means for presenting a plurality of windows on an output device;
- means for selecting a subset of the plurality of windows;
- means for sending the subset to an auxiliary output device; and
- means for refraining from sending windows not in the subset to the auxiliary output device, wherein the auxiliary output device is separate from the output device.

10. (Original) The apparatus of claim 9, wherein the auxiliary output device comprises a projector.

11. (Original) The apparatus of claim 9, wherein the means for selecting further comprises:

- means for selecting the subset based on group affiliations of the plurality of windows.

12. (Original) The apparatus of claim 11, further comprising:

- means for displaying the group affiliations in the respective windows.

13. (Original) The apparatus of claim 9, wherein the means for selecting further comprises:

- means for detecting that an application has launched; and
- means for determining whether the application belongs to a group.

14. (Original) The apparatus of claim 9, wherein the means for selecting further comprises:

- means for detecting that an application has been brought into focus; and
- means for determining whether the application belongs to a hidden group.

S/N 10/691,290
ROC920030290US1

15. (Withdrawn) A signal-bearing medium encoded with instructions, wherein the instructions when executed comprise:

 sending an image to both an output device and an auxiliary output device; and
 changing the image on the output device to a new image while freezing the image on the auxiliary output device.

16. (Withdrawn) The signal-bearing medium of claim 15, wherein the auxiliary output device comprises a projector.

17. (Withdrawn) The signal-bearing medium of claim 15, further comprising:
 unfreezing the image on the auxiliary output device.

18. (Withdrawn) The signal-bearing medium of claim 15, wherein the freezing the image further comprises:
 re-transmitting the image to the auxiliary output device.

19. (Withdrawn) The signal-bearing medium of claim 15, wherein the freezing the image further comprises:
 transmitting a pre-set image to the auxiliary output device.

20. (Withdrawn) The signal-bearing medium of claim 17, wherein the unfreezing the image further comprises:
 sending the new image to the auxiliary output device.

21. (Withdrawn) An electronic device comprising:
 a processor; and
 a storage device encoded with instructions, wherein the instructions when executed on the processor comprise:
 displaying a plurality of windows on an output device, wherein at least some of the plurality of windows overlap, and

S/N 10/691,290
ROC920030290US1

5

displaying the plurality of windows on an auxiliary output device in a non-overlapping format.

22. (Withdrawn) The electronic device of claim 21, wherein the windows that overlap include data in a scrollable format and the windows in the non-overlapping format include the data in a non-scrollable format.

S/N 10/691,290
ROC920030290US1